

12/2/8

Production/Admin:
Date:
Received/Costing
Initial

Location

Initials of receiver (if shipment OK) Level 12

| Part Number | Description | Ordered Quantity | Received Quantity | Returned Quantity | Short Quantity | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Discrepancies

Packing Slip: Yes ☒ No ☐
Invoice: Yes ☒ No ☐
Receipt: Yes ☒ No ☐

Cash: Yes ☒ No ☐
Cr: Yes ☒ No ☐

Release Note Attached: Yes ☒ No ☐
Waybill Attached: Yes ☒ No ☐
Shipment Complete: Yes ☒ No ☐
QC6 Inspection: Yes ☒ No ☐
Work Order: Yes ☒ No ☐

N/A
N/A
N/A
N/A

Date: 12/2/8
Supplier: THYSSKH

Batch No: M120602
Part P/O: 15854

Receiving Report

Purchase Order Receipt Listing

Wednesday, February 08, 2012 8:13:24 AM

All amounts are calculated in domestic currency.

| All Vendors | PO ID PO15854 | Receipt Dates from 2/8/2012 to 2/8/2012 | All Line Item Types |
|-------------|---------------|---|---------------------|
|-------------|---------------|---|---------------------|

| | | | | |
|--------------------|----------|-----------|----------------|----------------|
| All vendors | IO ID | IO Rec. | IO Employees | All Currencies |
| All Item ID/GL/WOs | All Rec. | Employees | All Currencies | |

Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date Required Qty | Rev Date/ Recv Emp | Rev Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---------------------------------------|-------------------|------------|--|-----------------------|-------------------------------|-----------------------|---------------------|------------------------------|--|-------------------------------|----------|
| Vendor ID\ Vendor Name | | VC-COP001 | Thyssenkrupp Materials CA Ltd | | | | | | | | |
| PO15854 | 1 | | M303B1.000X1.000 f | f | 1/17/2012 | 2/8/2012 | 25.0000 | \$12.07 | 0.0000 | 0 | \$301.65 |
| CAD | No | | 303 BAR 1" X 1" | f | 24.0000 | DESJ02 | | \$301.65 | 0.0000 | 0 | |
| | | | 120602 | | | | | | | | |
| Total Received Quantity: | | | | | | | | | | 25.0000 | |
| Total Qty to Inspect (PO U/M): | | | | | | | | | | 0.0000 | |
| Total Reject Quantity: | | | | | | | | | | 0.0000 | |
| Total Receipt Value: | | | | | | | | | | \$301.65 | |
| Total Balance Due Quantity: | | | | | | | | | | 0.0000 | |

B I L L O F L A D I N G

No: PEC 751382

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship Date 06Feb12 at 12:24 From PFW
Probill
Via O/T
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

MTR

1) Our Order PEC-407200- 1 Your PO # 15854
STAINLESS STEEL SQ BAR 303CD
1.00" X 150.0000"

Heat Number
253593

Tag No
34062

Quantity
25 FT

PCS
2

Wt LBS
86

Tags
1

PCS
2

LBS
86

TOTAL:

Heat Number
253593

*** Chemical Analysis ***

ADD ON TO 407197 SUR-CHARGE PAID
SHIP TOGETHER

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BDL G.W. 105 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

Page: 1 Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

B I L L O F L A D I N G

No: PEC 751382

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship Date 06Feb12 at 12:24 From PFW
Probill
Via O/T
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

Acciaierie Valbruna S.p.A.

38100 VICENZA (Italia) - Viale della scienza, 25 z.i.

Slab.: 38100 BOLZANO (Italia) - Via A. Volta, 4

Clienti / Bestell-/Purchase: Client

VALBRUNA CANADA LTD

8724 HOGGATE CRESCENT

L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Hersteller/Manufacturer

Stato di fornitura: - Annealed Cold Drawn

Lieferzustand/Delivery state/Etat de livraison

Specifiche:

Anforderungen / Requirements / Edigence

VSI 0 303 A,CF

ASME SA320 2010 B8F (0)

ASTM A370 2010

QQ-S-784 B/2 303 A

(0) SEC.II PT.A 2010 EDITION

(1) Chemical analysis only.

Qualità: 303

Werkstoff/Grade/Qualite

Marca: VPAU188Z VALPLUS

Markenbezeichnung/Brand/ Marque

| Pos. nr. Pos. nr. Item nr. Nr. de position | Oggetto Gegenstand Product description Descript. du produit | Dimensioni - In Abmessungen Dimension Dimension | Tolleranza Toleranz Allowance Tolerance | Lunghezza - In Länge Length Longueur | Colata Schmelze Heat Coulée | Perzi Stückzahl Pieces Pèces | Peso - LB Gewicht Weight Poids | Lotto nr. Lot nr. Lot nr. Lot nr. |
|---|--|--|--|---|--------------------------------------|---------------------------------------|---|--|
| 0050 | Square | 1,0000 x 1,0000 | 484-09 | 153 / 153 | 253593 | | 1,940 | 132000540 |

| TEST ALLO STATO DI FORNITURA | | | | | | | | | | |
|--|---|-----|--|--|---|--|---|--|---|--|
| Test on delivery condition Prüfung auf lieferbarem Produkt test à l'état de livraison Prueba sobre el material así como entregado | | | | | | | | | | |
| TEST | Provetta/Proben Specimen/Essay Long. diam. Sole Bore diam. Dia Weld diam. Thickness Long. diam. sole mm | °F | Puoi. Saggio Proben Eigenschaften f) | Sneramento Eigenschaften Yield Stress Rp 0,2% k.s.i. | Sneramento Yield Stress Limit Stress Rp 0,2% k.s.i. | Resistenza Festigkeits Tensile strength Resistance à traction Rm k.s.i. | Allungamento Deformation Elongation Allongement E 4d % | Strizione Einschnürung Reduction of area Striction RA % | Resilienza Kerbschlagenergie Impact Value Resilience | Durezza Härte Hardness Ténacité HB |
| Valori richiesti 1 Anforderungen/Required values Valeurs demandées | | min | | | | | | | | 140 |
| | | max | | | | | | | | 255 |
| A | 12.5 | 68 | L | 73 | | 103 | 39 | 51 | | 240 |

| TEST | min | max |
|----------------------------|-----|-----|
| A Grain size for ASTM E112 | | 5 |

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

| Colata / Heat Schmelze/Coûlée | min max 0,150 | 1,00 | 1,50 2,00 | 17,00 19,00 | 0,60 | 1,00 | 8,00 10,00 | 0,100 | 0,25 0,35 | 0,400 | - | - | - | - | - |
|----------------------------------|------------------|------|--------------|----------------|------|------|---------------|-------|--------------|-------|-------|---|---|---|---|
| C % | Si % | Mn % | Cr % | Mo % | Cu % | Ni % | Co % | P % | S % | Zr % | - | - | - | - | - |
| 253593 | 0,053 | 0,37 | 1,79 | 17,42 | 0,42 | 0,52 | 8,12 | 0,12 | 0,032 | 0,26 | 0,006 | - | - | - | - |

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 h/water.

Micro and macro etch test: OK

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste

Die gesamten Anforderungen sind erfüllt

The material has been furnished in accordance with the requirements

Le matériau a été livré en conformité aux exigences

Controllo antimiscelazione: OK

Vermischungsprüfung: Spektralanalyse durchgeführt

Antimixing testing performed: OK

Contrôle antimélange: fait: s.s.

Controllo visivo e dimensionale: soddisfatta le esigenze

Beachtung und Ausmessung: ohne Beanstandung

Visual inspection and dimensional checks: satisfactory

Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy

No welding or weld repair

Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TÜV and LLOYD'S

Vicenza, 10/06/11

VCC008

(Mod. MCE2)

Il collaudatore di stabilimento / der Werksachverständigen / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 2

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY DNV S REGISTER

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Ciente / Besteller/Purchase Order

VALBRUNA CANADA LTD

8724 HOLLGATE CRESCENT

L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**

Hersteller/Usine producer

Stato d fornitura: - Annealed Cold Drawn

Lieferzustand/Delivery state/État de livraison

Avviso di Spedizione: D-V111019206

Lieferanweisung/Packing list/B.L.

Ordine nr: 103003166 Stock - Canada

Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD

Erstellungsgang/Manufacturing process/Mode of elaboration

**CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1**

Certificato nr: MEST065384/2011/

Prüfung/Tests/Exam

Conferma ordine nr: E111003031

Works/Our Order/Ref nr.

Marchio di Fabbrica:

Zeichen des Lieferwerkes

Trade mark

Signe de l'usine producer



Punzone del Collaudatore:

Stempel des Werkssachverständigen
Inspector's stamp/Reception de l'essayeur



Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 10/06/11

VCO008

(Mod. NCE2)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L' agent d' usine

M. Rizzotto

Pagina - 2 di 2



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO15854

Purchase Order Date 1/11/12

PO Print Date 1/11/12

Page Number 1 of 4

Order From : VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

905 669 9444

905 738 9033

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

612/01/1

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|--|------------------------|--|-----------------------------|-----------------------------|------------|-------------------|
| 1 | M303B1.000X1.000 050 | 303 BAR 1" X 1" | 1/17/12 Yes | 24.00 f | Yours ppd Nec 25 Per 2/8 | \$12.1000 | \$290.40 |
| | | Special Inst: | MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE | | | | |
| 2 | M303R1.000 008 | 303 Round Bar 1.00 | 1/17/12 Yes | 12.00 f | Yours ppd | \$6.0500 | \$72.60 |
| | | Special Inst: | MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE | | | | |
| 3 | M304R.250 008 | 304 SS Round bar .250 | 1/17/12 Yes | 12.00 f | Yours ppd | \$2.0830 | \$25.00 |
| | | Special Inst: | MATERIAL: 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE | | | | |

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr:

1

Change Date: 1/11/12